



YITAI PLASTIC

RUBBER VACUUM FORMING

**NINGBO YITAI PLASTIC
RUBBER VACUUM FORMING CO.,LTD**

宁波奕泰塑胶真空成型有限公司



No.2 Meixi Road Zhangting Industrial Development, Yuyao, Zhejiang, China

浙江省宁波余姚丈亭镇工业开发区梅溪路2号

Mail: sales@yt-garden.com

www.
yt-garden.com

FOR MORE DETAILS
PLEASE VISIT THE OFFICAL WEBSITE



宁波奕泰塑胶真空成型有限公司
NINGBO YITAI PLASTIC RUBBER VACUUM FORMING CO.,LTD



YITAI PLASTIC

RUBBER VACUUM FORMING

ABOUT YITAI

YITAI is a professional manufacturer and exporter supplier dedicated to the products design and development of garden watering products. Our factory is established since 1998 and we are located in Ningbo of China. Our products range includes Spray Gun, Hose Connector, Sprinkler and etc supplying to Australia, America, Europe and many other countries.

With a well-equipped facilities and experienced quality control throughout all processes of production. We continuous focus on the need of the customer and tireless pursuit of perfection. All of our products are available in various specifications to meet customer's requirements.

Please don't hesitate to contact us if you have any questions. We will offer the best quality at the competitive prices to you.




SPRAY GUN



YT6802

- POLY 8-PATTERN SPRAY NOZZLE**
- Impact-resistant soft dial-ring
 - Soft nozzle body overmold


Unit Product Data	
DIM. / mm	N.W. / g
L125-W55-H160	115



YT6806

- POLY 9-PATTERN SPRAY NOZZLE**
- Impact-resistant soft dial-ring
 - Ergonomic grip with soft overmold


Unit Product Data	
DIM. / mm	N.W. / g
L140-W65-H170	165



YT6802P

- POLY 8-PATTERN SPRAY NOZZLE**
- Impact-resistant soft dial-ring
 - Soft nozzle body overmold

Unit Product Data	
DIM. / mm	N.W. / g
L125-W55-H160	111



YT6808

- SIMPLE POLY SPRAY NOZZLE**
- Threaded end for accessory attachment
 - Optional with coupling nuts


Unit Product Data	
DIM. / mm	N.W. / g
L120-W31-H140	38.5



YT6809

- POLY 9-PATTERN FRONT TRIGGER SPRAY NOZZLE**
- Nut flow control design
 - Dual soft grip overmold

Unit Product Data	
DIM. / mm	N.W. / g
L130-W65-H180	198



YT6811

- POLY 7-PATTERN SPRAY NOZZLE**


Unit Product Data	
DIM. / mm	N.W. / g
L120-W51-H160	90



YT6813

- POLY 9-PATTERN THUMB CONTROL SPRAY NOZZLE**
- Thumb control on/off
 - Dual soft grip overmold

Unit Product Data	
DIM. / mm	N.W. / g
L120-W69-H190	188



YT6810

- POLY FRONT TRIGGER ADJUSTABLE NOZZLE**
- Adjustable water pattern
 - Nut flow control design
 - Dual soft grip overmold

Unit Product Data	
DIM. / mm	N.W. / g
L115-W36-H150	150



YT6812

- POLY 7-PATTERN SPRAY NOZZLE**
- Impact-resistant soft dial-ring
 - Soft nozzle body overmold


Unit Product Data	
DIM. / mm	N.W. / g
L130-W57-H160	130



YT6814

- POLY THUMB CONTROL ADJUSTABLE NOZZLE**
- Adjustable water pattern
 - Thumb control on/off
 - Dual soft grip overmold

Unit Product Data	
DIM. / mm	N.W. / g
L105-W39-H160	136



HOSE FITTING



YT6807

POLY 1/2" ADJUSTABLE NOZZLE
· Easy fit with 1/2" hose connector
· Adjustable water pattern

Unit Product Data	
DIM. / mm	N.W. / g
L34-W34-H140	34



YT8801

POLY 1/2" HOSE CONNECTOR

Unit Product Data	
DIM. / mm	N.W. / g
L34-W34-H60	23



YT8801A

POLY 1/2" HOSE CONNECTOR WITH STOP

Unit Product Data	
DIM. / mm	N.W. / g
L34-W34-H64	24



YR5530

POLY 1/2" HOSE CONNECTOR

Unit Product Data	
DIM. / mm	N.W. / g
L37-W37-H58	25



YR5530U

POLY 1/2" HOSE CONNECTOR
· Body w/ overmold

Unit Product Data	
DIM. / mm	N.W. / g
L39.5-W39.5-H57.5	29.5



YR5530UC

POLY 1/2" HOSE CONNECTOR
· Body w/ overmold

Unit Product Data	
DIM. / mm	N.W. / g
L39.5-W39.5-H57.5	31.5



YT8802

POLY 3/4" HOSE CONNECTOR

Unit Product Data	
DIM. / mm	N.W. / g
L44-W44-H65	32



YT8802A

POLY 3/4" HOSE CONNECTOR WITH STOP

Unit Product Data	
DIM. / mm	N.W. / g
L44-W44-H70	35



YR5530A

POLY 3/4" HOSE CONNECTOR

Unit Product Data	
DIM. / mm	N.W. / g
L42-W42-H64	33



YR5530AU

POLY 3/4" HOSE CONNECTOR
· Body w/ overmold

Unit Product Data	
DIM. / mm	N.W. / g
L42-W42-H61	35



YR5530AUC

POLY 3/4" HOSE CONNECTOR
· Body w/ overmold

Unit Product Data	
DIM. / mm	N.W. / g
L45-W45-H61	39.5



YT8803

HI-FLOW POLY 3/4" HOSE CONNECTOR

Unit Product Data	
DIM. / mm	N.W. / g
L44-W44-H70	41



YT8803A

HI-FLOW POLY 3/4" HOSE CONNECTOR WITH STOP

Unit Product Data	
DIM. / mm	N.W. / g
L44-W44-H73.5	45



YT8810

HI-FLOW POLY 3/4" HOSE CONNECTOR

Unit Product Data	
DIM. / mm	N.W. / g
L42-W42-H70	39



YR5560U

POLY 1/2" HOSE MENDER

· Body w/ overmold

Unit Product Data	
DIM. / mm	N.W. / g
L35-W35-H52	25.5



YT5560A

POLY 3/4" HOSE MENDER

Unit Product Data	
DIM. / mm	N.W. / g
L44-W44-H58	35.5



YT8810A

HI-FLOW POLY 3/4" HOSE CONNECTOR WITH STOP

Unit Product Data	
DIM. / mm	N.W. / g
L42-W42-H73.5	43



YT8804

EXTENDED POLY 3/8" HOSE CONNECTOR

Unit Product Data	
DIM. / mm	N.W. / g
L34-W34-H72	22



YR5560AU

POLY 3/4" HOSE MENDER

· Body w/ overmold

Unit Product Data	
DIM. / mm	N.W. / g
L45-W45-H60	41



YR5561

POLY 3/4"-1/2" HOSE MENDER

Unit Product Data	
DIM. / mm	N.W. / g
L42-W42-H59	27.5



YT8805

POLY 3/8" HOSE CONNECTOR

Unit Product Data	
DIM. / mm	N.W. / g
L34-W34-H63	20



YR5540

POLY 3/4" FEMALE HOSE CONNECTOR WITH STOP

Unit Product Data	
DIM. / mm	N.W. / g
L37-W37-H51	22



YR5561U

POLY 3/4"-1/2" HOSE MENDER

· Body w/ overmold

Unit Product Data	
DIM. / mm	N.W. / g
L42-W42-H59	33.5



YT5570

POLY 3/4" TAP ADAPTOR

Unit Product Data	
DIM. / mm	N.W. / g
L31.5-W31.5-H38	8



YR5550

POLY 3/4" MALE HOSE CONNECTOR

Unit Product Data	
DIM. / mm	N.W. / g
L37-W37-H50.5	18



YT5560

POLY 1/2" HOSE MENDER

Unit Product Data	
DIM. / mm	N.W. / g
L34-W34-H52	22



YT5570 (DUAL O-RING)

POLY 3/4" TAP ADAPTOR WITH DUAL O-RING

Unit Product Data	
DIM. / mm	N.W. / g
L31.5-W31.5-H40	9



YT5580

POLY 1" TAP ADAPTOR

Unit Product Data	
DIM. / mm	N.W. / g
L39-W39-H37	11.5



YT5580 (DUAL O-RING)

POLY 1" TAP ADAPTOR WITH DUAL O-RING

Unit Product Data	
DIM. / mm	N.W. / g
L39-W39-H39	12



YT5581

HI-FLOW POLY 1" TAP ADAPTOR

Unit Product Data	
DIM. / mm	N.W. / g
L41-W41-H45.5	16



YT5591

HI-FLOW POLY 3/4" ADAPTOR

Unit Product Data	
DIM. / mm	N.W. / g
L30.5-W30.5-H43.5	9



YT8807

POLY 1-WAY HOSE CONNECTOR W/SHUT OFF
· With on/off lever

Unit Product Data	
DIM. / mm	N.W. / g
L35-W43-H98	37



YT5584 (DUAL O-RING)

HI-FLOW POLY 1" TAP ADAPTOR WITH DUAL O-RING

Unit Product Data	
DIM. / mm	N.W. / g
L39.5-W39.5-H45.5	14.5



YT5610

POLY 3/4"-1/2" REDUCER
· 1/2" female to 3/4" male threaded end

Unit Product Data	
DIM. / mm	N.W. / g
L31-W31-H18	4.5



YT5302

POLY 2-WAY HOSE CONNECTOR
· For 3/4" faucet thread

Unit Product Data	
DIM. / mm	N.W. / g
L105-W50-H70	45



YT5620

POLY 1"-3/4" REDUCER
· 3/4" female to 1" male threaded end

Unit Product Data	
DIM. / mm	N.W. / g
L39-W39-H17	8



YT5620R

POLY 3/4"-1" EXTENDER
· 1" female to 3/4" male threaded end

Unit Product Data	
DIM. / mm	N.W. / g
L39-W39-H28	10.5



YT5304

POLY 4-WAY HOSE CONNECTOR
WITH 1"-3/4" REDUCER

Unit Product Data	
DIM. / mm	N.W. / g
L165-W42-H130	176



YT5590

POLY 3/4" ADAPTOR

Unit Product Data	
DIM. / mm	N.W. / g
L26-W26-H39	5.5



YT5590 (DUAL O-RING)

POLY 3/4" ADAPTOR WITH DUAL O-RING

Unit Product Data	
DIM. / mm	N.W. / g
L26-W26-H39	5.5



YT5305

POLY 4-WAY HOSE CONNECTOR
WITH 1"-3/4" REDUCER

Unit Product Data	
DIM. / mm	N.W. / g
L165-W42-H114	151



HOSE FITTING SET




09/10



YT5740

POLY 4PCS TWIST NOZZLE SET

- 1/2" adjustable nozzle
- 1/2" hose connector
- 1/2" hose connector with stop
- 3/4"-1/2" tap adaptor



YT5740A

POLY 4PCS TWIST NOZZLE SET


- 1/2" adjustable nozzle
- 3/4" hose connector
- 3/4" hose connector with stop
- 1"-3/4" tap adaptor



YT6802S

POLY 4PCS SPRAY NOZZLE SET


- 8-pattern spray gun
- 1/2" hose connector
- 1/2" hose connector with stop
- 1"-3/4" tap adaptor




YT6809S

HI-FLOW POLY 4PCS SPRAY NOZZLE SET

- 9-pattern spray gun
- Hi-flow 3/4" hose connector
- Hi-flow 3/4" hose connector with stop
- Hi-flow 1"-3/4" tap adaptor



LAWN SPRINKLER



YR5643

POLY 3-ARM ROTATING SPRINKLER

- Spray coverage up to 10m Dia. (33ft Dia.)
- Adjust drop size with rotor speed



DIM. / mm
L160-W160-H80
N.W. / g
123



DIM. / mm
L160-W160-H235
N.W. / g
79



DIM. / mm
L160-W160-H235
N.W. / g
76



YT5647

POLY SPINNER

- Spray coverage up to 10m Dia. (33ft Dia.)



DIM. / mm
L155-W120-H85
N.W. / g
90



YM6330

POLY MINI SHAKER

- Spray coverage up to 12m Dia. (40ft Dia.)



DIM. / mm
L155-W120-H85
N.W. / g
89



DIM. / mm
L65-W42-H240
N.W. / g
47



DIM. / mm
L75-W42-H240
N.W. / g
44



DIM. / mm
L65-W32-H240
N.W. / g
45



DIM. / mm
L75-W32-H240
N.W. / g
42



YT5643

POLY ADJUSTABLE 3-ARM SPRAY ROTOR

- Spray coverage up to 12m Dia. (40ft Dia.)
- Adjust drop size with rotor speed



DIM. / mm
L190-W210-H100
N.W. / g
193 (w/o weights)



DIM. / mm
L225-W210-H95
N.W. / g
193 (w/o weights)



YS2003

POLY BUTTERFLY SPRINKLER

- Spray coverage up to 10m Dia. (33ft Dia.)



DIM. / mm
L190-W210-H155
N.W. / g
159 (w/o weights)



DIM. / mm
L225-W210-H150
N.W. / g
159 (w/o weights)



YM6320

POLY LARGE DROPLET SHAKER

- Spray coverage up to 16m Dia. (52ft Dia.)
- Resist wind with larger droplets



DIM. / mm
L190-W210-H130
N.W. / g
192 (w/o weights)



DIM. / mm
L225-W210-H125
N.W. / g
192 (w/o weights)



YT5646

POLY DUAL JET SPRINKLER HEAD

- Spray coverage up to 15m Dia. (49ft Dia.)
- Resist wind with high speed drops




DIM. / mm
L190-W210-H140
N.W. / g
186 (w/o weights)



DIM. / mm
L225-W210-H135
N.W. / g
186 (w/o weights)

HOSE REEL CART



YT5631

MOBILE & WALL MOUNTED HOSE REEL

- Replaceable hose (up to 1/2" hose × 30m)
- Mobile clip-on wall bracket

Unit Product Data	
DIM. / mm	N.W. / g
L340-W275-H400	1750



YM6180

MINI PORTABLE HOSE REEL SET

- Storage 3/8" hose × 10m
- Easy to carry
- Suitable for small area patio

Unit Product Data	
DIM. / mm	N.W. / g
L160-W135-H275	310



YT5630

POLY HOSE HANGER

- Mount any where
- Storage 1/2" hose × 30m
- Rack stores nozzles and sprayers

Unit Product Data	
DIM. / mm	N.W. / g
L270-W200-H205	248

YM6100

STAINLESS STEEL HOSE HANGER

- Mount any where
- Storage 1/2" hose × 30m

Unit Product Data	
DIM. / mm	N.W. / g
L190-W200-H250	253

